

Troopers Hill Monitoring 2008



Photograph 18: Trees and scrub have spread across this area.



Photograph 19: There has been some development of scrub in this area.

Troopers Hill Monitoring 2008



Photograph 20: The sward is more grassy, as a result of wet summers, heaths and broom have spread slightly.



Photograph 21: Vegetation remains similar here.

Troopers Hill Monitoring 2008



Photograph 22: There has been some spread of scrub in upper right.



Photograph 23: Management has reduced the extent of scrub below the rock face.

Troopers Hill Monitoring 2008



Photograph 24: Heather has spread across the slope at upper left.



Photograph 25: Scrub in lower left has been controlled, heather has spread across upper slope.

Troopers Hill Monitoring 2008



Photograph 26: Trees have been removed and heather has spread.



Photograph 27: Bramble at bottom right has been cut back.

Troopers Hill Monitoring 2008



Photograph 28: Scrub and bracken in centre (to right of figure) has been cleared, Heather has spread at centre left.



Photograph 29: Heather has spread slightly.

Troopers Hill Monitoring 2008



Photograph 30: Re-growth from a cut stump is evident at centre left. Heather has spread.



Photograph 31: Heather has spread slightly and paths are less worn.

Troopers Hill Monitoring 2008



Photograph 32: Tree in background has been removed. Cotoneaster is visible upper left.



Photograph 33: Taken from a slightly different position than in previous years, the scrub in foreground was previously in left centre. Heather appears to have spread in background.

Troopers Hill Monitoring 2008



Photograph 34: Scrub in background has become taller and denser.



Photograph 35: Bramble has spread in foreground and broom has colonised slope in centre.